

ACI MATERIALS JOURNAL

INDEX VOLUME 99, 2002

From a Journal of the American Concrete Institute, January through December 2002

progress through knowledge



AMERICAN CONCRETE INSTITUTE, Farmington Hills, Michigan

ACI Materials Journal VOLUME 99, 2002

Remove this section and include it with your January through December 2002 Volume 99 issues of the *ACI Materials Journal*.

A

- Aarup, B.**—Impact response of ultra-high-strength fiber-reinforced cement composite (99-M55) Nov.-Dec. 2002 543
ACI Committee 555—Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) May-June 2002 300
Admixture
 —Early-age creep and shrinkage of blended cement concrete (99-M1) Li, H.; Wee, T. H.; and Wong, S. F., Jan.-Feb. 2002 3
 —Solution tests of corrosion-inhibiting admixtures for reinforced concrete (99-M36) Brown, M. C.; Weyers, R. E.; and Sprinkel, M. M., July-Aug. 2002 371
Aggregates
 —Influence of aggregate type on mechanical behavior of normal- and high-strength concretes (99-M53) Sengul, Ö.; Tasdemir, C.; and Tasdemir, M. A., Nov.-Dec. 2002 528
 —Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002 300
 —Three-dimensional aggregate density in concrete with wall effect (99-M58) Zheng, J. J., and Li, C. Q., Nov.-Dec. 2002 568
Air entrainment
 —Microscopic characterization of ice morphology in entrained air voids (99-M18) Corr, D. J.; Monteiro, P. J. M.; and Bastacky, J., Mar.-Apr. 2002 190
Air void
 —Microscopic characterization of ice morphology in entrained air voids (99-M18) Corr, D. J.; Monteiro, P. J. M.; and Bastacky, J., Mar.-Apr. 2002 190
Air-void stability in self-consolidating concrete (99-M41) Khayat, K. H., and Assaad, J., July-Aug. 2002 408
Aitcin, P.-C.—Determination of elastic properties of high-performance concrete at early ages (99-M5) Jan.-Feb. 2002 37
Akkaya, Y.—Rheological model for self-consolidating concrete (99-M56) Nov.-Dec. 2002 549
Al Dhaheri, M.—Effect of exposure to elevated temperature on polypropylene fiber-reinforced concrete (99-M3) Jan.-Feb. 2002 22
Alkali-aggregate reaction
 —Cracking in precast, prestressed deck planks in two bridges: causes of cracking, concrete characteristics, and rehabilitation options (99-M15) Shayan, A., and Morris, H., Mar.-Apr. 2002 165
 —Effect of cement alkalinity on pore solution chemistry and chloride-induced reinforcement corrosion (99-M22) Dehwah, H. A. F.; Masleuddin, M.; and Austin, S. A., May-June 2002 227
Alkali-silica reaction
 —Alkali-silica reaction mitigation: state of the art and recommendations (99-M49) Malvar, L. J.; Cline, G. D.; Burke, D. F.; Rollings, R.; Sherman, T. W.; and Greene, J. L., Sept.-Oct. 2002 480
 —Durability of ternary blend concrete with silica fume and blast-furnace slag: laboratory and outdoor exposure site studies (99-M51) Bleszynski, R.; Hooton, R. D.; Thomas, M. D. A.; and Rogers, C. A., Sept.-Oct. 2002 499
 —Residual strength of reinforced concrete beams damaged by alkali-silica reaction—examination of damage rating index method (99-M6) Monette, L. J.; Gardner, N. J.; and Grattan-Bellew, P. E., Jan.-Feb. 2002 42
Alkali-silica reaction mitigation: state of the art and recommendations (99-M49) Malvar, L. J.; Cline, G. D.; Burke, D. F.; Rollings, R.; Sherman, T. W.; and Greene, J. L., Sept.-Oct. 2002 480
Alonso, M. C.—Standardization, to a reference of 25 °C, of electrical resistivity for mortars and concretes in saturated or isolated conditions (99-M9) Mar.-Apr. 2002 119
Al-Qadi, I. L.—Ground-penetrating radar signal modeling to assess concrete structures (99-M29) May-June 2002 282
Alumina
 —Effect of ultrafine particles on heat of hydration of cement mortars (99-M11) Kadri, E. H., and Duval, R., Mar.-Apr. 2002 138

B

- Bagel, L.**—Pore structures, permeabilities, and compressive strengths of concrete at temperatures up to 800 °C (99-M19) Mar.-Apr. 2002 196
Balaguru, P.—Effect of large-diameter polymeric fibers on shrinkage cracking of cement composites (99-M33) July-Aug. 2002 345
Banthia, N.
 —Impact response of ultra-high-strength fiber-reinforced cement composite (99-M55) Nov.-Dec. 2002 543
 —Shear strength of steel fiber-reinforced concrete (99-M48) Sept.-Oct. 2002 473
Bar
 —Chloride-induced corrosion of steel bars in concrete with presence of gap at steel-concrete interface (99-M13) Mohammed, T. U.; Otsuki, N.; Hamada, H.; and Yamaji, T., Mar.-Apr. 2002 149
 —Laboratory evaluation and field application of concrete reinforcement with aramid fiber-reinforced polymer bars (99-M60) Soroushian, P.; Ravanbakhsh, S.; and Nagi, M. A., Nov.-Dec. 2002 584
Bastacky, J.—Microscopic characterization of ice morphology in entrained air voids (99-M18) Mar.-Apr. 2002 190
Bayasi, Z.
 —Application of fibrillated polypropylene fibers for restraint of plastic shrinkage cracking in silica fume concrete (99-M32) July-Aug. 2002 337
 —Effect of exposure to elevated temperature on polypropylene fiber-reinforced concrete (99-M3) Jan.-Feb. 2002 22
Beam
 —Flexural behaviors of glass fiber-reinforced polymer (GFRP) reinforced engineered cementitious composite beams (99-M2) Li, V. C., and Wang, S., Jan.-Feb. 2002 11
Behavior and modeling of concrete subject to variable confining pressure (99-M17) Harries, K. A., and Kharel, G., Mar.-Apr. 2002 180
Bentz, E. C.—Effects of curing on chloride ingress and implications on service life (99-M20) Mar.-Apr. 2002 201
Bicanic, N.—Residual fracture toughness of normal- and high-strength gravel concrete after heating to 600 °C (99-M21) May-June 2002 217
Bindiganavile, V.—Impact response of ultra-high-strength fiber-reinforced cement composite (99-M55) Nov.-Dec. 2002 543
Blast furnace slag
 —Durability of ternary blend concrete with silica fume and blast-furnace slag: laboratory and outdoor exposure site studies (99-M51) Bleszynski, R.; Hooton, R. D.; Thomas, M. D. A.; and Rogers, C. A., Sept.-Oct. 2002 499
Bleeding
 —Application of fibrillated polypropylene fibers for restraint of plastic shrinkage cracking in silica fume concrete (99-M32) Bayasi, Z., and McIntyre, M., July-Aug. 2002 337
Blended cement
 —Early-age creep and shrinkage of blended cement concrete (99-M1) Li, H.; Wee, T. H.; and Wong, S. F., Jan.-Feb. 2002 3
 —Hydration, rheology, and strength of ordinary portland cement (OPC)-cement kiln dust (CKD)-slag binders (99-M16) Wang, K.; Konsta-Gdoutos, M. S.; and Shah, S. P., Mar.-Apr. 2002 173
 —Mechanical properties and durability of concrete made with high-volume fly ash blended cement produced in cement plant (99-M57) Bouzoubaâ, N.; Fournier, B.; Malhotra, V. M.; and Golden, D. M., Nov.-Dec. 2002 560
 —Permeability of cracked hybrid fiber-reinforced mortar under load (99-M37) Lawler, J. S.; Zampini, D.; and Shah, S. P., July-Aug. 2002 379
Bleszynski, R.—Durability of ternary blend concrete with silica fume and blast-furnace slag: laboratory and outdoor exposure site studies (99-M51) Sept.-Oct. 2002 499

Bouzoubaâ, N. —Mechanical properties and durability of concrete made with high-volume fly ash blended cement produced in cement plant (99-M57) Nov.-Dec. 2002	560
Bridge deck	
—Damage assessment of concrete bridge decks using impact-echo method (99-M28) Tawhed, W. F., and Gassman, S. L., May-June 2002	273
—Laboratory evaluation and field application of concrete reinforcement with aramid fiber-reinforced polymer bars (99-M60) Soroushian, P.; Ravanbakhsh, S.; and Nagi, M. A., Nov.-Dec. 2002	584
Brooks, J. J. —Prediction of setting time of fly ash concrete (99-M61) Nov.-Dec. 2002	591
Brown, M. C. —Solution tests of corrosion-inhibiting admixtures for reinforced concrete (99-M36) July-Aug. 2002	371
Bui, V. K. —Rheological model for self-consolidating concrete (99-M56) Nov.-Dec. 2002	549
Burke, D. F. —Alkali-silica reaction mitigation: state of the art and recommendations (99-M49) Sept.-Oct. 2002	480

C

Calcite

—Effect of ultrafine particles on heat of hydration of cement mortars (99-M11) Kadri, E. H., and Duval, R., Mar.-Apr. 2002	138
Carbon fiber-reinforced polymer wraps for corrosion control and rehabilitation of reinforced concrete columns (99-M10) Debaiky, A. S.; Green, M. F.; and Hope, B. B., Mar.-Apr. 2002	129

Carbonation

—Corrosion behavior of reinforcement in slag concrete (99-M52) Pal, S. C.; Mukherjee, A.; and Pathak, S. R., Nov.-Dec. 2002	521
Cardew, G. E. —Estimation of diffusion coefficients for chloride ion penetration into structural concrete (99-M44) Sept.-Oct. 2002	441
Carino, N. J. —Effects of test conditions and mixture proportions on behavior of high-strength concrete exposed to high temperatures (99-M8) Jan.-Feb. 2002	54
Castellote, M. —Standardization, to a reference of 25 °C, of electrical resistivity for mortars and concretes in saturated or isolated conditions (99-M9) Mar.-Apr. 2002	119

Cement mortar specimens

—Mixed mode I-III fracture testing of cement mortar (99-M43) Lo, K. W.; Zhong, K.; Tamilselvan, T.; Ong, K. C. G.; and Wee, T. H., Sept.-Oct. 2002	435
--	-----

Cement paste

—Microscopic characterization of ice morphology in entrained air voids (99-M18) Corr, D. J.; Monteiro, P. J. M.; and Bastacky, J., Mar.-Apr. 2002	190
Chemical bond	
—Interface tailoring for strain-hardening polyvinyl alcohol-engineered cementitious composite (PVA-ECC) (99-M47) Li, V. C.; Wu, C.; Wang, S.; Ogawa, A.; and Saito, T., Sept.-Oct. 2002	463
Cheong, H. K. —Stress-strain relationship for concrete confined by lateral steel reinforcement (99-M25) May-June 2002	250

Chloride diffusion

—Estimation of diffusion coefficients for chloride ion penetration into structural concrete (99-M44) Suryavanshi, A. K.; Swamy, R. N.; and Cardew, G. E., Sept.-Oct. 2002	441
---	-----

Chloride diffusion, microstructure, and mineralogy of concrete after 15 years of exposure in tidal environment (99-M26) Mohammed, T. U.; Yamaji, T.; and Hamada, H., May-June 2002	256
---	-----

Chloride-induced corrosion of steel bars in concrete with presence of gap at steel-concrete interface (99-M13) Mohammed, T. U.; Otsuki, N.; Hamada, H.; and Yamaji, T., Mar.-Apr. 2002	149
---	-----

Cline, G. D. —Alkali-silica reaction mitigation: state of the art and recommendations (99-M49) Sept.-Oct. 2002	480
---	-----

Column

—Carbon fiber-reinforced polymer wraps for corrosion control and rehabilitation of reinforced concrete columns (99-M10) Debaiky, A. S.; Green, M. F.; and Hope, B. B., Mar.-Apr. 2002	129
---	-----

Compressive strength

—Effects of test conditions and mixture proportions on behavior of high-strength concrete exposed to high temperatures (99-M8) Phan, L. T., and Carino, N. J., Jan.-Feb. 2002	54
—Influence of aggregate type on mechanical behavior of normal- and high-strength concretes (99-M53) Sengül, Ö; Tasdemir, C.; and Tasdemir, M. A., Nov.-Dec. 2002	528
—Long-term strength development of controlled low-strength material (99-M14) Pierce, C. E.; Gassman, S. L.; and Richards, T. M., Mar.-Apr. 2002	157
—Nonlinear creep, poisson's ratio, and creep-damage interaction of concrete in compression (99-M45) Mazzotti, C., and Savoia, M., Sept.-Oct. 2002	450

Concrete

—Alkali-silica reaction mitigation: state of the art and recommendations (99-M49) Malvar, L. J.; Cline, G. D.; Burke, D. F.; Rollings, R.; Sherman, T. W.; and Greene, J. L., Sept.-Oct. 2002	480
—Concrete hydration and mechanical properties under nonisothermal conditions (99-M54) Pane, I., and Hansen, W., Nov.-Dec. 2002	534
—Damage assessment of concrete bridge decks using impact-echo method (99-M28) Tawhed, W. F., and Gassman, S. L., May-June 2002	273
—Decreased corrosion initiation time of steel in concrete due to reinforcing bar obstruction of diffusional flow (99-M7) Kranc, S. C.; Sagüés, A. A.; and Presuel-Moreno, F. J., Jan.-Feb. 2002	51
—Durability of ternary blend concrete with silica fume and blast-furnace slag: laboratory and outdoor exposure site studies (99-M51) Bleszynski, R.; Hooton, R. D.; Thomas, M. D. A.; and Rogers, C. A., Sept.-Oct. 2002	499
—Effect of large-diameter polymeric fibers on shrinkage cracking of cement composites (99-M33) Najm, H., and Balaguru, P., July-Aug. 2002	345
—Estimation of chloride ingress in uncracked and cracked concrete using measured surface concentrations (99-M4) Paulson-Tralla, J., and Silfwerbrand, J., Jan.-Feb. 2002	27
—Estimation of diffusion coefficients for chloride ion penetration into structural concrete (99-M44) Suryavanshi, A. K.; Swamy, R. N.; and Cardew, G. E., Sept.-Oct. 2002	441
—Ground-penetrating radar signal modeling to assess concrete structures (99-M29) Loulizi, A.; Al-Qadi, I. L.; and Lahouar, S., May-June 2002	282
—Influence of thixotropy on stability characteristics of cement grout and concrete (99-M23) Khayat, K. H.; Saric-Coric, M.; and Liotta, F., May-June 2002	234
—Laboratory evaluation and field application of concrete reinforcement with aramid fiber-reinforced polymer bars (99-M60) Soroushian, P.; Ravanbakhsh, S.; and Nagi, M. A., Nov.-Dec. 2002	584
—New technique based on stress waves for measuring cover thickness of closely spaced reinforcing bars (99-M59) Liou, T.; Lin, Y.; and Hsiao, C., Nov.-Dec. 2002	576
—Nonlinear creep, poisson's ratio, and creep-damage interaction of concrete in compression (99-M45) Mazzotti, C., and Savoia, M., Sept.-Oct. 2002	450
—Patch repair and macrocell activity in concrete structures (99-M12) Pruckner, F., and Gjorv, O. E., Mar.-Apr. 2002	143
—Pore structures, permeabilities, and compressive strengths of concrete at temperatures up to 800 °C (99-M19) Janotka, L., and Bägel, L., Mar.-Apr. 2002	196
—Prediction of setting time of fly ash concrete (99-M61) Brooks, J. J., Nov.-Dec. 2002	591
—Residual strength of reinforced concrete beams damaged by alkali-silica reaction—examination of damage rating index method (99-M6) Monette, L. J.; Gardner, N. J.; and Grattan-Bellew, P. E., Jan.-Feb. 2002	42
—Rheological model for self-consolidating concrete (99-M56) Bui, V. K.; Akkaya, Y.; and Shah, S. P., Nov.-Dec. 2002	549
—Standardization, to a reference of 25 °C, of electrical resistivity for mortars and concretes in saturated or isolated conditions (99-M9) Castellote, M.; Andrade, C.; and Alonso, M. C., Mar.-Apr. 2002	119
—Three-dimensional aggregate density in concrete with wall effect (99-M58) Zheng, J. J., and Li, C. Q., Nov.-Dec. 2002	568
Concrete durability	
—Estimation of diffusion coefficients for chloride ion penetration into structural concrete (99-M44) Suryavanshi, A. K.; Swamy, R. N.; and Cardew, G. E., Sept.-Oct. 2002	441
Concrete hydration and mechanical properties under nonisothermal conditions (99-M54) Pane, I., and Hansen, W., Nov.-Dec. 2002	534
Concrete removal	
—Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002	300
Condition survey	
—Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002	300
Confined concrete	
—Effect of high temperature on residual mechanical properties of confined and unconfined high-strength concrete (99-M40) Wu, B.; Su, X.-p.; Li, H.; and Yuan, J., July-Aug. 2002	399
—Stress-strain relationship for concrete confined by lateral steel reinforcement (99-M25) Cheong, H. K., and Zeng, H., May-June 2002	250
Consolidation	
—Optimizing self-consolidating concrete with limestone filler by using statistical factorial design methods (99-M27) Ghezal, A., and Khayat, K. H., May-June 2002	264
Controlled low-strength cementitious material	
—Long-term strength development of controlled low-strength material (99-M14) Pierce, C. E.; Gassman, S. L.; and Richards, T. M., Mar.-Apr. 2002	157

Corr, D. J. —Microscopic characterization of ice morphology in entrained air voids (99-M18) Mar.-Apr. 2002	190
Corrosion	
—Carbon fiber-reinforced polymer wraps for corrosion control and rehabilitation of reinforced concrete columns (99-M10) Debaiky, A. S.; Green, M. F.; and Hope, B. B., Mar.-Apr. 2002	129
—Chloride-induced corrosion of steel bars in concrete with presence of gap at steel-concrete interface (99-M13) Mohammed, T. U.; Otsuki, N.; Hamada, H.; and Yamaji, T., Mar.-Apr. 2002	149
—Corrosion behavior of reinforcement in slag concrete (99-M52) Pal, S. C.; Mukherjee, A.; and Pathak, S. R., Nov.-Dec. 2002	521
—Decreased corrosion initiation time of steel in concrete due to reinforcing bar obstruction of diffusional flow (99-M7) Kranc, S. C.; Sagüés, A. A.; and Presuel-Moreno, F. J., Jan.-Feb. 2002	51
—Effect of cement alkalinity on pore solution chemistry and chloride-induced reinforcement corrosion (99-M22) Dehwah, H. A. F.; Maslehdin, M.; and Austin, S. A., May-June 2002	227
—Laboratory evaluation and field application of concrete reinforcement with aramid fiber-reinforced polymer bars (99-M60) Soroushian, P.; Ravanbakhsh, S.; and Nagi, M. A., Nov.-Dec. 2002	584
—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 2: forward modeling (99-M24) Zhang, J.; Monteiro, P. J. M.; and Morrison, H. F., May-June 2002	242
—Patch repair and macrocell activity in concrete structures (99-M12) Pruckner, F., and Gjørv, O. E., Mar.-Apr. 2002	143
—Solution tests of corrosion-inhibiting admixtures for reinforced concrete (99-M36) Brown, M. C.; Weyers, R. E.; and Sprinkel, M. M., July-Aug. 2002	371
Corrosion behavior of reinforcement in slag concrete (99-M52) Pal, S. C.; Mukherjee, A.; and Pathak, S. R., Nov.-Dec. 2002	521
Corrosion of steel	
—Estimation of diffusion coefficients for chloride ion penetration into structural concrete (99-M44) Suryavanshi, A. K.; Swamy, R. N.; and Cardew, G. E., Sept.-Oct. 2002	441
Cover	
—New technique based on stress waves for measuring cover thickness of closely spaced reinforcing bars (99-M59) Liou, T.; Lin, Y.; and Hsiao, C., Nov.-Dec. 2002	576
Crack	
—Application of fibrillated polypropylene fibers for restraint of plastic shrinkage cracking in silica fume concrete (99-M32) Bayasi, Z., and McIntyre, M., July-Aug. 2002	337
—Cracking in precast, prestressed deck planks in two bridges: causes of cracking, concrete characteristics, and rehabilitation options (99-M15) Shayan, A., and Morris, H., Mar.-Apr. 2002	165
—Damage assessment of concrete bridge decks using impact-echo method (99-M28) Tawhed, W. F., and Gassman, S. L., May-June 2002	273
Cracking	
—Effect of large-diameter polymeric fibers on shrinkage cracking of cement composites (99-M33) Najm, H., and Balaguru, P., July-Aug. 2002	345
—Effects of metakaolin and silica fume on properties of concrete (99-M39) Ding, J.-T., and Li, Z., July-Aug. 2002	393
—New nondestructive inspection technique for reinforced concrete beams, A (99-M30) Jung, Y.-c.; Kundu, T.; and Ehsani, M. R., May-June 2002	292
—Permeability of cracked hybrid fiber-reinforced mortar under load (99-M37) Lawler, J. S.; Zampini, D.; and Shah, S. P., July-Aug. 2002	379
—Shock vibration test of concrete (99-M35) Kwan, A. K. H.; Zheng, W.; and Lee, P. K. K., July-Aug. 2002	361
Cracking in precast, prestressed deck planks in two bridges: causes of cracking, concrete characteristics, and rehabilitation options (99-M15) Shayan, A., and Morris, H., Mar.-Apr. 2002	165
Creep	
—Early-age creep and shrinkage of blended cement concrete (99-M1) Li, H.; Wee, T. H.; and Wong, S. F., Jan.-Feb. 2002	3
—Nonlinear creep, poisson's ratio, and creep-damage interaction of concrete in compression (99-M45) Mazzotti, C., and Savoia, M., Sept.-Oct. 2002	450
Creep, shrinkage, and cracking of restrained concrete at early age (98-M35)	
—Altoubat, S. A., and Lange, D. A., V. 98 July-Aug. 2001	323
—Disc. by Sivakumar, K., May-June 2002	326
Curing	
—Effects of curing on chloride ingress and implications on service life (99-M20) Hooton, R. D.; Geiker, M. R.; and Bentz, E. C., Mar.-Apr. 2002	201
—Long-term strength development of controlled low-strength material (99-M14) Pierce, C. E.; Gassman, S. L.; and Richards, T. M., Mar.-Apr. 2002	157
—Residual fracture toughness of normal- and high-strength gravel concrete after heating to 600 °C (99-M21) Zhang, B., and Bicanic, N., May-June 2002	217
D	
Damage	
—Nonlinear creep, poisson's ratio, and creep-damage interaction of concrete in compression (99-M45) Mazzotti, C., and Savoia, M., Sept.-Oct. 2002	450
Damage assessment of concrete bridge decks using impact-echo method (99-M28) Tawhed, W. F., and Gassman, S. L., May-June 2002	273
Debaiky, A. S. —Carbon fiber-reinforced polymer wraps for corrosion control and rehabilitation of reinforced concrete columns (99-M10) Mar.-Apr. 2002	129
Decreased corrosion initiation time of steel in concrete due to reinforcing bar obstruction of diffusional flow (99-M7) Kranc, S. C.; Sagüés, A. A.; and Presuel-Moreno, F. J., Jan.-Feb. 2002	51
Deformation	
—Stress-strain relationship for concrete confined by lateral steel reinforcement (99-M25) Cheong, H. K., and Zeng, H., May-June 2002	250
Dehwah, H. A. F. —Effect of cement alkalinity on pore solution chemistry and chloride-induced reinforcement corrosion (99-M22) May-June 2002	227
Deicer	
—Estimation of chloride ingress in uncracked and cracked concrete using measured surface concentrations (99-M4) Paulsson-Tralla, J., and Silfverbrand, J., Jan.-Feb. 2002	27
Delamination	
—Ground-penetrating radar signal modeling to assess concrete structures (99-M29) Loulizi, A.; Al-Qadi, I. L.; and Lahouar, S., May-June 2002	282
Demolition	
—Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002	300
Density	
—Three-dimensional aggregate density in concrete with wall effect (99-M58) Zheng, J. J., and Li, C. Q., Nov.-Dec. 2002	568
Design provisions for drying shrinkage and creep of normal-strength concrete (98-M18)	
—Gardner, N. J., and Lockman, M. J., V. 98 Mar.-Apr. 2001	159
—Disc. by Sivakumar, K., Jan.-Feb. 2002	111
Determination of elastic properties of high-performance concrete at early ages (99-M5) Mesbah, H. A.; Lachemi, M.; and Aitcin, P.-C., Jan.-Feb. 2002	37
Development of deformable protective system for underground infrastructure using cellular grouts (99-M50) Nehdi, M.; Khan, A.; and Lo, K. Y., Sept.-Oct. 2002	490
Diamond saw	
—Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002	300
Dilation	
—Behavior and modeling of concrete subject to variable confining pressure (99-M17) Harries, K. A., and Kharel, G., Mar.-Apr. 2002	180
Ding, J.-T. —Effects of metakaolin and silica fume on properties of concrete (99-M39) July-Aug. 2002	393
Drop hammer	
—Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002	300
Drying shrinkage	
—Effect of large-diameter polymeric fibers on shrinkage cracking of cement composites (99-M33) Najm, H., and Balaguru, P., July-Aug. 2002	345
Ductility	
—Flexural behaviors of glass fiber-reinforced polymer (GFRP) reinforced engineered cementitious composite beams (99-M2) Li, V. C., and Wang, S., Jan.-Feb. 2002	11
—Shear strength of steel fiber-reinforced concrete (99-M48) Mirsahay, A. A., and Banthia, N., Sept.-Oct. 2002	473
Durability	
—Decreased corrosion initiation time of steel in concrete due to reinforcing bar obstruction of diffusional flow (99-M7) Kranc, S. C.; Sagüés, A. A.; and Presuel-Moreno, F. J., Jan.-Feb. 2002	51
—Durability of ternary blend concrete with silica fume and blast-furnace slag: laboratory and outdoor exposure site studies (99-M51) Bleszynski, R.; Hooton, R. D.; Thomas, M. D. A.; and Rogers, C. A., Sept.-Oct. 2002	499
—Laboratory evaluation and field application of concrete reinforcement with aramid fiber-reinforced polymer bars (99-M60) Soroushian, P.; Ravanbakhsh, S.; and Nagi, M. A., Nov.-Dec. 2002	584

—Mechanical properties and durability of concrete made with high-volume fly ash blended cement produced in cement plant (99-M57) Bouzoubaâ, N.; Fournier, B.; Malhotra, V. M.; and Golden, D. M., Nov.-Dec. 2002	560
Durability of ternary blend concrete with silica fume and blast-furnace slag: laboratory and outdoor exposure site studies (99-M51) Bleszynski, R.; Hooton, R. D.; Thomas, M. D. A.; and Rogers, C. A., Sept.-Oct. 2002	499
Duval, R. —Effect of ultrafine particles on heat of hydration of cement mortars (99-M11) Mar.-Apr. 2002	138
Dynamic load	
—Impact response of ultra-high-strength fiber-reinforced cement composite (99-M55) Bindiganavile, V.; Banthia, N.; and Aarup, B., Nov.-Dec. 2002	543
E	
Early-age creep and shrinkage of blended cement concrete (99-M1)	
—Li, H.; Wee, T. H.; and Wong, S. F., Jan.-Feb. 2002	3
—Disc. by Sivakumar, K., Nov.-Dec. 2002	598
Early ages (of concrete)	
—Determination of elastic properties of high-performance concrete at early ages (99-M5) Mesbah, H. A.; Lachemi, M.; and Aitcin, P.-C., Jan.-Feb. 2002	37
—Early-age creep and shrinkage of blended cement concrete (99-M1) Li, H.; Wee, T. H.; and Wong, S. F., Jan.-Feb. 2002	3
Effect of cement alkalinity on pore solution chemistry and chloride-induced reinforcement corrosion (99-M22) Dehwah, H. A. F.; Masleuddin, M.; and Austin, S. A., May-June 2002	227
Effect of exposure to elevated temperature on polypropylene fiber-reinforced concrete (99-M3) Bayasi, Z., and Al Dhaheri, M., Jan.-Feb. 2002	22
Effect of high temperature on residual mechanical properties of confined and unconfined high-strength concrete (99-M40) Wu, B.; Su, X.-p.; Li, H.; and Yuan, J., July-Aug. 2002	399
Effect of large-diameter polymeric fibers on shrinkage cracking of cement composites (99-M33) Najm, H., and Balaguru, P., July-Aug. 2002	345
Effect of ultrafine particles on heat of hydration of cement mortars (99-M11) Kadri, E. H., and Duval, R., Mar.-Apr. 2002	138
Effects of curing on chloride ingress and implications on service life (99-M20) Hooton, R. D.; Geiker, M. R.; and Bentz, E. C., Mar.-Apr. 2002	201
Effects of metakaolin and silica fume on properties of concrete (99-M39) Ding, J.-T., and Li, Z., July-Aug. 2002	393
Effects of test conditions and mixture proportions on behavior of high-strength concrete exposed to high temperatures (99-M8) Phan, L. T., and Carino, N. J., Jan.-Feb. 2002	54
Ehsani, M. R. —New nondestructive inspection technique for reinforced concrete beams, A (99-M30) May-June 2002	292
Estimation of chloride ingress in uncracked and cracked concrete using measured surface concentrations (99-M4) Paulsson-Tralla, J., and Silfwerbrand, J., Jan.-Feb. 2002	27
Estimation of diffusion coefficients for chloride ion penetration into structural concrete (99-M44) Suryavanshi, A. K.; Swamy, R. N.; and Cardew, G. E., Sept.-Oct. 2002	441
Expansion	
—Cracking in precast, prestressed deck planks in two bridges: causes of cracking, concrete characteristics, and rehabilitation options (99-M15) Shayan, A., and Morris, H., Mar.-Apr. 2002	165
—Residual strength of reinforced concrete beams damaged by alkali-silica reaction—examination of damage rating index method (99-M6) Monette, L. J.; Gardner, N. J.; and Grattan-Bellew, P. E., Jan.-Feb. 2002	42
Explosive blasting	
—Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002	300
F	
Factors	
—Prediction of setting time of fly ash concrete (99-M61) Brooks, J. J., Nov.-Dec. 2002	591
Fatigue	
—Lap splice length and fatigue performance of fiber-reinforced polymer laminates (99-M38) Yang, X., and Nanni, A., July-Aug. 2002	386
Fiber-reinforced concrete	
—Flexural behavior of fiber mesh-reinforced concrete with glass aggregate (99-M42) Mu, B., and Meyer, C., Sept.-Oct. 2002	425
—Impact response of ultra-high-strength fiber-reinforced cement composite (99-M55) Bindiganavile, V.; Banthia, N.; and Aarup, B., Nov.-Dec. 2002	543
—Permeability of cracked hybrid fiber-reinforced mortar under load (99-M37) Lawler, J. S.; Zampini, D.; and Shah, S. P., July-Aug. 2002	379
—Shear strength of steel fiber-reinforced concrete (99-M48) Mirsayah, A. A., and Banthia, N., Sept.-Oct. 2002	473
Finishing	
—Application of fibrillated polypropylene fibers for restraint of plastic shrinkage cracking in silica fume concrete (99-M32) Bayasi, Z., and McIntyre, M., July-Aug. 2002	337
Finite element analysis	
—Mixed mode I-III fracture testing of cement mortar (99-M43) Lo, K. W.; Zhong, K.; Tamiselvan, T.; Ong, K. C. G.; and Wee, T. H., Sept.-Oct. 2002	435
Flexural behavior of fiber mesh-reinforced concrete with glass aggregate (99-M42) Mu, B., and Meyer, C., Sept.-Oct. 2002	425
Flexural behaviors of glass fiber-reinforced polymer (GFRP) reinforced engineered cementitious composite beams (99-M2) Li, V. C., and Wang, S., Jan.-Feb. 2002	11
Flexural strength	
—Effect of exposure to elevated temperature on polypropylene fiber-reinforced concrete (99-M3) Bayasi, Z., and Al Dhaheri, M., Jan.-Feb. 2002	22
Flowable fill	
—Long-term strength development of controlled low-strength material (99-M14) Pierce, C. E.; Gassman, S. L.; and Richards, T. M., Mar.-Apr. 2002	157
Fly ash	
—Alkali-silica reaction mitigation: state of the art and recommendations (99-M49) Malvar, L. J.; Cline, G. D.; Burke, D. F.; Rollings, R.; Sherman, T. W.; and Greene, J. L., Sept.-Oct. 2002	480
—Chloride diffusion, microstructure, and mineralogy of concrete after 15 years of exposure in tidal environment (99-M26) Mohammed, T. U.; Yamaji, T.; and Hamada, H., May-June 2002	256
—Long-term strength development of controlled low-strength material (99-M14) Pierce, C. E.; Gassman, S. L.; and Richards, T. M., Mar.-Apr. 2002	157
—Mechanical properties and durability of concrete made with high-volume fly ash blended cement produced in cement plant (99-M57) Bouzoubaâ, N.; Fournier, B.; Malhotra, V. M.; and Golden, D. M., Nov.-Dec. 2002	560
—Microstructures and interfaces in concrete after 15 years of exposure in tidal environment (99-M34) Mohammed, T. U.; Yamaji, T.; and Hamada, H., July-Aug. 2002	352
—Prediction of setting time of fly ash concrete (99-M61) Brooks, J. J., Nov.-Dec. 2002	591
Fournier, B. —Mechanical properties and durability of concrete made with high-volume fly ash blended cement produced in cement plant (99-M57) Nov.-Dec. 2002	560
Fracture	
—Residual fracture toughness of normal- and high-strength gravel concrete after heating to 600 °C (99-M21) Zhang, B., and Bicanic, N., May-June 2002	217
—Shear strength of steel fiber-reinforced concrete (99-M48) Mirsayah, A. A., and Banthia, N., Sept.-Oct. 2002	473
G	
Gardner, N. J. —Residual strength of reinforced concrete beams damaged by alkali-silica reaction—examination of damage rating index method (99-M6) Jan.-Feb. 2002	42
Gassman, S. L.	
—Damage assessment of concrete bridge decks using impact-echo method (99-M28) May-June 2002	273
—Long-term strength development of controlled low-strength material (99-M14) Mar.-Apr. 2002	157
Geiker, M. R. —Effects of curing on chloride ingress and implications on service life (99-M20) Mar.-Apr. 2002	201
Ghezal, A. —Optimizing self-consolidating concrete with limestone filler by using statistical factorial design methods (99-M27) May-June 2002	264
Gjorv, O. E. —Patch repair and macrocell activity in concrete structures (99-M12) Mar.-Apr. 2002	143
Glass	
—Flexural behavior of fiber mesh-reinforced concrete with glass aggregate (99-M42) Mu, B., and Meyer, C., Sept.-Oct. 2002	425

- Golden, D. M.**—Mechanical properties and durability of concrete made with high-volume fly ash blended cement produced in cement plant (99-M57) Nov.-Dec. 2002 560
- Grattan-Bellew, P. E.**—Residual strength of reinforced concrete beams damaged by alkali-silica reaction—examination of damage rating index method (99-M6) Jan.-Feb. 2002 42
- Green, M. F.**—Carbon fiber-reinforced polymer wraps for corrosion control and rehabilitation of reinforced concrete columns (99-M10) Mar.-Apr. 2002 129
- Greene, J. L.**—Alkali-silica reaction mitigation: state of the art and recommendations (99-M49) Sept.-Oct. 2002 480
- Ground-penetrating radar signal modeling to assess concrete structures** (99-M29) Loulizi, A.; Al-Qadi, I. L.; and Lahouar, S., May-June 2002 282
- Grout**
—Development of deformable protective system for underground infrastructure using cellular grouts (99-M50) Nehdi, M.; Khan, A.; and Lo, K. Y., Sept.-Oct. 2002 490
—Influence of thixotropy on stability characteristics of cement grout and concrete (99-M23) Khayat, K. H.; Saric-Coric, M.; and Liotta, F., May-June 2002 234

H

Hamada, H.

- Chloride diffusion, microstructure, and mineralogy of concrete after 15 years of exposure in tidal environment (99-M26) May-June 2002 256
- Chloride-induced corrosion of steel bars in concrete with presence of gap at steel-concrete interface (99-M13) Mar.-Apr. 2002 149
- Microstructures and interfaces in concrete after 15 years of exposure in tidal environment (99-M34) July-Aug. 2002 352

- Hansen, W.**—Concrete hydration and mechanical properties under nonisothermal conditions (99-M54) Nov.-Dec. 2002 534

Hardened concrete

- Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002 300

- Harries, K. A.**—Behavior and modeling of concrete subject to variable confining pressure (99-M17) Mar.-Apr. 2002 180

Heat of hydration

- Hydration, rheology, and strength of ordinary portland cement (OPC)-cement kiln dust (CKD)-slag binders (99-M16) Wang, K.; Konsta-Gdoutos, M. S.; and Shah, S. P., Mar.-Apr. 2002 173

High-performance concrete

- Determination of elastic properties of high-performance concrete at early ages (99-M5) Mesbah, H. A.; Lachemi, M.; and Aitcin, P.-C., Jan.-Feb. 2002 37

- Optimizing self-consolidating concrete with limestone filler by using statistical factorial design methods (99-M27) Ghezal, A., and Khayat, K. H., May-June 2002 264

High-range water-reducing admixture

- Influence of thixotropy on stability characteristics of cement grout and concrete (99-M23) Khayat, K. H.; Saric-Coric, M.; and Liotta, F., May-June 2002 234

High-strength concrete

- Effect of high temperature on residual mechanical properties of confined and unconfined high-strength concrete (99-M40) Wu, B.; Su, X.-p.; Li, H.; and Yuan, J., July-Aug. 2002 399

- Effects of test conditions and mixture proportions on behavior of high-strength concrete exposed to high temperatures (99-M8) Phan, L. T., and Carino, N. J., Jan.-Feb. 2002 54

- Influence of aggregate type on mechanical behavior of normal- and high-strength concretes (99-M53) Sengul, Ö; Tasdemir, C.; and Tasdemir, M. A., Nov.-Dec. 2002 528

Hooton, R. D.

- Durability of ternary blend concrete with silica fume and blast-furnace slag: laboratory and outdoor exposure site studies (99-M51) Sept.-Oct. 2002 499

- Effects of curing on chloride ingress and implications on service life (99-M20) Mar.-Apr. 2002 201

- Hope, B. B.**—Carbon fiber-reinforced polymer wraps for corrosion control and rehabilitation of reinforced concrete columns (99-M10) Mar.-Apr. 2002 129

- Hsiao, C.**—New technique based on stress waves for measuring cover thickness of closely spaced reinforcing bars (99-M59) Nov.-Dec. 2002 576

Hydration

- Concrete hydration and mechanical properties under nonisothermal conditions (99-M54) Pane, I., and Hansen, W., Nov.-Dec. 2002 534

- Hydration, rheology, and strength of ordinary portland cement (OPC)-cement kiln dust (CKD)-slag binders** (99-M16) Wang, K.; Konsta-Gdoutos, M. S.; and Shah, S. P., Mar.-Apr. 2002 173

Hydro-demolition

- Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002 300

I

Impact breaker

- Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002 300

- Impact response of ultra-high-strength fiber-reinforced cement composite** (99-M55) Bindiganavile, V.; Banthia, N.; and Aarup, B., Nov.-Dec. 2002 543

- Influence of aggregate type on mechanical behavior of normal- and high-strength concretes** (99-M53) Sengul, Ö; Tasdemir, C.; and Tasdemir, M. A., Nov.-Dec. 2002 528

- Influence of thixotropy on stability characteristics of cement grout and concrete** (99-M23) Khayat, K. H.; Saric-Coric, M.; and Liotta, F., May-June 2002 234

In-place concrete

- Ultrasonic technique for monitoring concrete strength gain at early age (99-M46) Subramaniam, K. V.; Mohsen, J. P.; Shaw, C. K.; and Shah, S. P., Sept.-Oct. 2002 458

- Interface tailoring for strain-hardening polyvinyl alcohol-engineered cementitious composite (PVA-ECC)** (99-M47) Li, V. C.; Wu, C.; Wang, S.; Ogawa, A.; and Saito, T., Sept.-Oct. 2002 463

J

- Janotka, I.**—Pore structures, permeabilities, and compressive strengths of concrete at temperatures up to 800 °C (99-M19) Mar.-Apr. 2002 196

Jet-flame cutter

- Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002 300

- Jung, Y.-e.**—New nondestructive inspection technique for reinforced concrete beams, A (99-M30) May-June 2002 292

K

- Kadri, E. H.**—Effect of ultrafine particles on heat of hydration of cement mortars (99-M11) Mar.-Apr. 2002 138

- Khan, A.**—Development of deformable protective system for underground infrastructure using cellular grouts (99-M50) Sept.-Oct. 2002 490

- Khare, G.**—Behavior and modeling of concrete subject to variable confining pressure (99-M17) Mar.-Apr. 2002 180

- Khayat, K. H.**—Air-void stability in self-consolidating concrete (99-M41) July-Aug. 2002 408

- Influence of thixotropy on stability characteristics of cement grout and concrete (99-M23) May-June 2002 234

- Optimizing self-consolidating concrete with limestone filler by using statistical factorial design methods (99-M27) May-June 2002 264

- Konsta-Gdoutos, M. S.**—Hydration, rheology, and strength of ordinary portland cement (OPC)-cement kiln dust (CKD)-slag binders (99-M16) Mar.-Apr. 2002 173

- Kranc, S. C.**—Decreased corrosion initiation time of steel in concrete due to reinforcing bar obstruction of diffusional flow (99-M7) Jan.-Feb. 2002 51

- Kundu, T.**—New nondestructive inspection technique for reinforced concrete beams, A (99-M30) May-June 2002 292

- Kwan, A. K. H.**—Shock vibration test of concrete (99-M35) July-Aug. 2002 361

L

- Laboratory evaluation and field application of concrete reinforcement with aramid fiber-reinforced polymer bars** (99-M60) Soroushian, P.; Ravanbakhsh, S.; and Nagi, M. A., Nov.-Dec. 2002 584

- Lachemi, M.**—Determination of elastic properties of high-performance concrete at early ages (99-M5) Jan.-Feb. 2002 37

- Lahouar, S.**—Ground-penetrating radar signal modeling to assess concrete structures (99-M29) May-June 2002 282

Lap splice

- Lap splice length and fatigue performance of fiber-reinforced polymer laminates (99-M38) Yang, X., and Nanni, A., July-Aug. 2002 386
Lap splice length and fatigue performance of fiber-reinforced polymer laminates (99-M38) Yang, X., and Nanni, A., July-Aug. 2002 386
Lawler, J. S.—Permeability of cracked hybrid fiber-reinforced mortar under load (99-M37) July-Aug. 2002 379
Lee, P. K. K.—Shock vibration test of concrete (99-M35) July-Aug. 2002 361
Li, C. Q.—Three-dimensional aggregate density in concrete with wall effect (99-M58) Nov.-Dec. 2002 568
Li, Hao—Early-age creep and shrinkage of blended cement concrete (99-M1) Jan.-Feb. 2002 3
Li, Hui—Effect of high temperature on residual mechanical properties of confined and unconfined high-strength concrete (99-M40) July-Aug. 2002 399
Li, V. C.
—Flexural behaviors of glass fiber-reinforced polymer (GFRP) reinforced engineered cementitious composite beams (99-M2) Jan.-Feb. 2002 11
—Interface tailoring for strain-hardening polyvinyl alcohol-engineered cementitious composite (PVA-ECC) (99-M47) Sept.-Oct. 2002 463
Li, Z.—Effects of metakaolin and silica fume on properties of concrete (99-M39) July-Aug. 2002 393
Limestone
—Optimizing self-consolidating concrete with limestone filler by using statistical factorial design methods (99-M27) Ghezal, A., and Khayat, K. H., May-June 2002 264
Lin, Y.—New technique based on stress waves for measuring cover thickness of closely spaced reinforcing bars (99-M59) Nov.-Dec. 2002 576
Liotta, F.—Influence of thixotropy on stability characteristics of cement grout and concrete (99-M23) May-June 2002 234
Liou, T.—New technique based on stress waves for measuring cover thickness of closely spaced reinforcing bars (99-M59) Nov.-Dec. 2002 576
Lo, K. W.—Mixed mode I-III fracture testing of cement mortar (99-M43) Sept.-Oct. 2002 435
Lo, K. Y.—Development of deformable protective system for underground infrastructure using cellular grouts (99-M50) Sept.-Oct. 2002 490
Long-term strength development of controlled low-strength material (99-M14) Pierce, C. E.; Gassman, S. L.; and Richards, T. M., Mar.-Apr. 2002 157
Loulizi, A.—Ground-penetrating radar signal modeling to assess concrete structures (99-M29) May-June 2002 282

M

- Malhotra, V. M.**—Mechanical properties and durability of concrete made with high-volume fly ash blended cement produced in cement plant (99-M57) Nov.-Dec. 2002 560
Malvar, L. J.—Alkali-silica reaction mitigation: state of the art and recommendations (99-M49) Sept.-Oct. 2002 480
Maslehuddin, M.—Effect of cement alkalinity on pore solution chemistry and chloride-induced reinforcement corrosion (99-M22) May-June 2002 227
Mazzotti, C.—Nonlinear creep, poisson's ratio, and creep-damage interaction of concrete in compression (99-M45) Sept.-Oct. 2002 450
McIntyre, M.—Application of fibrillated polypropylene fibers for restraint of plastic shrinkage cracking in silica fume concrete (99-M32) July-Aug. 2002 337
Mechanical properties and durability of concrete made with high-volume fly ash blended cement produced in cement plant (99-M57) Bouzoubaa, N.; Fournier, B.; Malhotra, V. M.; and Golden, D. M., Nov.-Dec. 2002 560
Mechanical splitter
—Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002 300
Mesbah, H. A.—Determination of elastic properties of high-performance concrete at early ages (99-M5) Jan.-Feb. 2002 37
Mesh
—Flexural behavior of fiber mesh-reinforced concrete with glass aggregate (99-M42) Mu, B., and Meyer, C., Sept.-Oct. 2002 425
Meyer, C.—Flexural behavior of fiber mesh-reinforced concrete with glass aggregate (99-M42), Sept.-Oct. 2002 425
Microscopic characterization of ice morphology in entrained air voids (99-M18) Corr, D. J.; Monteiro, P. J. M.; and Bastacky, J., Mar.-Apr. 2002 190
Microstructures and interfaces in concrete after 15 years of exposure in tidal environment (99-M34) Mohammed, T. U.; Yamaji, T.; and Hamada, H., July-Aug. 2002 352

- Mirsayah, A. A.**—Shear strength of steel fiber-reinforced concrete (99-M48) Sept.-Oct. 2002 473

Mixed mode fracture

- Mixed mode I-III fracture testing of cement mortar (99-M43) Lo, K. W.; Zhong, K.; Tamilselvan, T.; Ong, K. C. G.; and Wee, T. H., Sept.-Oct. 2002 435

- Mixed mode I-III fracture testing of cement mortar** (99-M43) Lo, K. W.; Zhong, K.; Tamilselvan, T.; Ong, K. C. G.; and Wee, T. H., Sept.-Oct. 2002 435

Mixing time

- Long-term strength development of controlled low-strength material (99-M14) Pierce, C. E.; Gassman, S. L.; and Richards, T. M., Mar.-Apr. 2002 157

Mixture proportion

- Optimizing self-consolidating concrete with limestone filler by using statistical factorial design methods (99-M27) Ghezal, A., and Khayat, K. H., May-June 2002 264

- Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002 300

Modulus of elasticity

- Determination of elastic properties of high-performance concrete at early ages (99-M5) Mesbah, H. A.; Lachemi, M.; and Aitcin, P.-C., Jan.-Feb. 2002 37

- Effects of test conditions and mixture proportions on behavior of high-strength concrete exposed to high temperatures (99-M8) Phan, L. T., and Carino, N. J., Jan.-Feb. 2002 54

- Influence of aggregate type on mechanical behavior of normal- and high-strength concretes (99-M53) Sengul, Ö.; Tasdemir, C.; and Tasdemir, M. A., Nov.-Dec. 2002 528

Mohammed, T. U.

- Chloride diffusion, microstructure, and mineralogy of concrete after 15 years of exposure in tidal environment (99-M26) May-June 2002 256

- Chloride-induced corrosion of steel bars in concrete with presence of gap at steel-concrete interface (99-M13) Mar.-Apr. 2002 149

- Microstructures and interfaces in concrete after 15 years of exposure in tidal environment (99-M34) July-Aug. 2002 352

- Mohsen, J. P.**—Ultrasonic technique for monitoring concrete strength gain at early age (99-M46) Sept.-Oct. 2002 458

- Monette, L. J.**—Residual strength of reinforced concrete beams damaged by alkali-silica reaction—examination of damage rating index method (99-M6) Jan.-Feb. 2002 42

Monteiro, P. J. M.

- Microscopic characterization of ice morphology in entrained air voids (99-M18) Mar.-Apr. 2002 190

- Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 2: forward modeling (99-M24) May-June 2002 242

Mortar

- Effect of ultrafine particles on heat of hydration of cement mortars (99-M11) Kadri, E. H., and Duval, R., Mar.-Apr. 2002 138

- Permeability of cracked hybrid fiber-reinforced mortar under load (99-M37) Lawler, J. S.; Zampini, D.; and Shah, S. P., July-Aug. 2002 379

- Standardization, to a reference of 25 °C, of electrical resistivity for mortars and concretes in saturated or isolated conditions (99-M9) Castellote, M.; Andrade, C.; and Alonso, M. C., Mar.-Apr. 2002 119

- Morris, H.**—Cracking in precast, prestressed deck planks in two bridges: causes of cracking, concrete characteristics, and rehabilitation options (99-M15) Mar.-Apr. 2002 165

- Morrison, H. F.**—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 2: forward modeling (99-M24) May-June 2002 242

Mortar

- Effect of ultrafine particles on heat of hydration of cement mortars (99-M11) Kadri, E. H., and Duval, R., Mar.-Apr. 2002 138

- Standardization, to a reference of 25 °C, of electrical resistivity for mortars and concretes in saturated or isolated conditions (99-M9) Castellote, M.; Andrade, C.; and Alonso, M. C., Mar.-Apr. 2002 119

- Mu, B.**—Flexural behavior of fiber mesh-reinforced concrete with glass aggregate (99-M42), Sept.-Oct. 2002 425

- Mukherjee, A.**—Corrosion behavior of reinforcement in slag concrete (99-M52) Nov.-Dec. 2002 521

N

- Nagi, M. A.**—Laboratory evaluation and field application of concrete reinforcement with aramid fiber-reinforced polymer bars (99-M60) Nov.-Dec. 2002 584

Najm, H. —Effect of large-diameter polymeric fibers on shrinkage cracking of cement composites (99-M33) July-Aug. 2002	345
Nanni, A. —Lap splice length and fatigue performance of fiber-reinforced polymer laminates (99-M38) July-Aug. 2002	386
Nehdi, M. —Development of deformable protective system for underground infrastructure using cellular grouts (99-M50) Sept.-Oct. 2002	490
New methodology for designing self-compacting concrete (98-M46)	
—Saak, A. W.; Jennings, H. M.; and Shah, S. P., V. 98, Nov.-Dec. 2001	429
—Disc. by Dignan, M., and Li, C. Q., Sept.-Oct. 2002	509
New nondestructive inspection technique for reinforced concrete beams, A (99-M30) Jung, Y.-c.; Kundu, T.; and Ehsani, M. R., May-June 2002	292
New technique based on stress waves for measuring cover thickness of closely spaced reinforcing bars (99-M59) Liou, T.; Lin, Y.; and Hsiao, C., Nov.-Dec. 2002	576
No explosives demolition agent	
—Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002	300
Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 2: forward modeling (99-M24)	
Zhang, J.; Monteiro, P. J. M.; and Morrison, H. F., May-June 2002	242
Nonlinear creep, poisson's ratio, and creep-damage interaction of concrete in compression (99-M45) Mazzotti, C., and Savoia, M., Sept.-Oct. 2002	450
O	
Ogawa, A. —Interface tailoring for strain-hardening polyvinyl alcohol-engineered cementitious composite (PVA-ECC) (99-M47) Sept.-Oct. 2002	463
Ong, K. C. G. —Mixed mode I-III fracture testing of cement mortar (99-M43) Sept.-Oct. 2002	435
Optimizing self-consolidating concrete with limestone filler by using statistical factorial design methods (99-M27) Ghezal, A., and Khayat, K. H., May-June 2002	264
Ordinary portland cement	
—Chloride diffusion, microstructure, and mineralogy of concrete after 15 years of exposure in tidal environment (99-M26) Mohammed, T. U.; Yamaji, T.; and Hamada, H., May-June 2002	256
—Microstructures and interfaces in concrete after 15 years of exposure in tidal environment (99-M34) Mohammed, T. U.; Yamaji, T.; and Hamada, H., July-Aug. 2002	352
Otsuki, N. —Chloride-induced corrosion of steel bars in concrete with presence of gap at steel-concrete interface (99-M13) Mar.-Apr. 2002	149
Overlay	
—Estimation of chloride ingress in uncracked and cracked concrete using measured surface concentrations (99-M4) Paulsson-Tralla, J., and Sifwerbrand, J., Jan.-Feb. 2002	27
P	
Pal, S. C. —Corrosion behavior of reinforcement in slag concrete (99-M52) Nov.-Dec. 2002	521
Pane, I. —Concrete hydration and mechanical properties under nonisothermal conditions (99-M54) Nov.-Dec. 2002	534
Patch repair and macrocell activity in concrete structures (99-M12) Pruckner, F., and Gjørv, O. E., Mar.-Apr. 2002	143
Pathak, S. R. —Corrosion behavior of reinforcement in slag concrete (99-M52) Nov.-Dec. 2002	521
Paulsson-Tralla, J. —Estimation of chloride ingress in uncracked and cracked concrete using measured surface concentrations (99-M4) Jan.-Feb. 2002	27
Penetration	
—Effects of curing on chloride ingress and implications on service life (99-M20) Hooton, R. D.; Geiker, M. R.; and Bentz, E. C., Mar.-Apr. 2002	201
—Prediction of setting time of fly ash concrete (99-M61) Brooks, J. J., Nov.-Dec. 2002	591
Permeability of cracked hybrid fiber-reinforced mortar under load (99-M37) Lawler, J. S.; Zampini, D.; and Shah, S. P., July-Aug. 2002	379
Permeability to water	
—Permeability of cracked hybrid fiber-reinforced mortar under load (99-M37) Lawler, J. S.; Zampini, D.; and Shah, S. P., July-Aug. 2002	379
Phan, L. T. —Effects of test conditions and mixture proportions on behavior of high-strength concrete exposed to high temperatures (99-M8) Jan.-Feb. 2002	54
Pierce, C. E. —Long-term strength development of controlled low-strength material (99-M14) Mar.-Apr. 2002	157
Plastic shrinkage	
—Application of fibrillated polypropylene fibers for restraint of plastic shrinkage cracking in silica fume concrete (99-M32) Bayasi, Z., and McIntyre, M., July-Aug. 2002	337
—Effect of large-diameter polymeric fibers on shrinkage cracking of cement composites (99-M33) Najm, H., and Balaguru, P., July-Aug. 2002	345
Plastic shrinkage cracking in concrete materials—Influence of fly ash and fibers (98-M49)	
—Wang, K.; Shah, S. P.; and Phuaksuk, P., Nov.-Dec. 2001	458
—Disc. by Sivakumar, K., Sept.-Oct. 2002	512
Poisson's ratio	
—Behavior and modeling of concrete subject to variable confining pressure (99-M17) Harries, K. A., and Kharel, G., Mar.-Apr. 2002	180
—Nonlinear creep, poisson's ratio, and creep-damage interaction of concrete in compression (99-M45) Mazzotti, C., and Savoia, M., Sept.-Oct. 2002	450
Polymer	
—Carbon fiber-reinforced polymer wraps for corrosion control and rehabilitation of reinforced concrete columns (99-M10) Debaiky, A. S.; Green, M. F.; and Hope, B. B., Mar.-Apr. 2002	129
Pore structures, permeabilities, and compressive strengths of concrete at temperatures up to 800 °C (99-M19) Janotka, I., and Bágel, L., Mar.-Apr. 2002	196
Portland cement	
—Effect of cement alkalinity on pore solution chemistry and chloride-induced reinforcement corrosion (99-M22) Dehwah, H. A. F.; Maslehuddin, M.; and Austin, S. A., May-June 2002	227
Pozzolan	
—Effect of ultrafine particles on heat of hydration of cement mortars (99-M11) Kadri, E. H., and Duval, R., Mar.-Apr. 2002	138
Prediction	
—Prediction of setting time of fly ash concrete (99-M61) Brooks, J. J., Nov.-Dec. 2002	591
Prediction of setting time of fly ash concrete (99-M61) Brooks, J. J., Nov.-Dec. 2002	591
Prestressed concrete	
—Cracking in precast, prestressed deck planks in two bridges: causes of cracking, concrete characteristics, and rehabilitation options (99-M15) Shayan, A., and Morris, H., Mar.-Apr. 2002	165
Presuel-Moreno, F. J. —Decreased corrosion initiation time of steel in concrete due to reinforcing bar obstruction of diffusional flow (99-M7) Jan.-Feb. 2002	51
Pruckner, F. —Patch repair and macrocell activity in concrete structures (99-M12) Mar.-Apr. 2002	143
R	
Ravanbakhsh, S. —Laboratory evaluation and field application of concrete reinforcement with aramid fiber-reinforced polymer bars (99-M60) Nov.-Dec. 2002	584
Recycled aggregates	
—Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002	300
Recycled concrete	
—Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002	300
Reinforced concrete	
—Chloride-induced corrosion of steel bars in concrete with presence of gap at steel-concrete interface (99-M13) Mohammed, T. U.; Otsuki, N.; Hamada, H.; and Yamaji, T., Mar.-Apr. 2002	149
—New nondestructive inspection technique for reinforced concrete beams, A (99-M30) Jung, Y.-c.; Kundu, T.; and Ehsani, M. R., May-June 2002	292
—Residual strength of reinforced concrete beams damaged by alkali-silica reaction—examination of damage rating index method (99-M6) Monette, L. J.; Gardner, N. J.; and Grattan-Bellew, P. E., Jan.-Feb. 2002	42
Reinforcement	
—Carbon fiber-reinforced polymer wraps for corrosion control and rehabilitation of reinforced concrete columns (99-M10) Debaiky, A. S.; Green, M. F.; and Hope, B. B., Mar.-Apr. 2002	129
—Effect of cement alkalinity on pore solution chemistry and chloride-induced reinforcement corrosion (99-M22) Dehwah, H. A. F.; Maslehuddin, M.; and Austin, S. A., May-June 2002	227
—Flexural behavior of fiber mesh-reinforced concrete with glass aggregate (99-M42) Mu, B., and Meyer, C., Sept.-Oct. 2002	425

—Flexural behaviors of glass fiber-reinforced polymer (GFRP) reinforced engineered cementitious composite beams (99-M2) Li, V. C., and Wang, S., Jan.-Feb. 2002.....	11
—Laboratory evaluation and field application of concrete reinforcement with aramid fiber-reinforced polymer bars (99-M60) Soroushian, P.; Ravanbakhsh, S.; and Nagi, M. A., Nov.-Dec. 2002	584
—Lap splice length and fatigue performance of fiber-reinforced polymer laminates (99-M38) Yang, X., and Nanni, A., July-Aug. 2002	386
Reinforcing bar	
—New technique based on stress waves for measuring cover thickness of closely spaced reinforcing bars (99-M59) Liou, T.; Lin, Y.; and Hsiao, C., Nov.-Dec. 2002	576
—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 2: forward modeling (99-M24) Zhang, J.; Monteiro, P. J. M.; and Morrison, H. F., May-June 2002	242
Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002	300
Repair	
—Patch repair and macrocell activity in concrete structures (99-M12) Pruckner, F., and Gjørv, O. E., Mar.-Apr. 2002	143
Residual fracture toughness of normal- and high-strength gravel concrete after heating to 600 °C (99-M21) Zhang, B., and Bicanic, N., May-June 2002	217
Residual strength of reinforced concrete beams damaged by alkali-silica reaction—examination of damage rating index method (99-M6) Monette, L. J.; Gardner, N. J.; and Grattan-Bellew, P. E., Jan.-Feb. 2002	42
Rheological model for self-consolidating concrete (99-M56) Bui, V. K.; Akkaya, Y.; and Shah, S. P., Nov.-Dec. 2002	549
Rheology	
—Hydration, rheology, and strength of ordinary portland cement (OPC)-cement kiln dust (CKD)-slag binders (99-M16) Wang, K.; Konsta-Gdoutos, M. S.; and Shah, S. P., Mar.-Apr. 2002	173
—Influence of thixotropy on stability characteristics of cement grout and concrete (99-M23) Khayat, K. H.; Saric-Coric, M.; and Liotta, F., May-June 2002	234
—Optimizing self-consolidating concrete with limestone filler by using statistical factorial design methods (99-M27) Ghezal, A., and Khayat, K. H., May-June 2002	264
—Rheological model for self-consolidating concrete (99-M56) Bui, V. K.; Akkaya, Y.; and Shah, S. P., Nov.-Dec. 2002	549
Richards, T. M. —Long-term strength development of controlled low-strength material (99-M14) Mar.-Apr. 2002	157
Rogers, C. A. —Durability of ternary blend concrete with silica fume and blast-furnace slag: laboratory and outdoor exposure site studies (99-M51) Sept.-Oct. 2002	499
Rollings, R. —Alkali-silica reaction mitigation: state of the art and recommendations (99-M49) Sept.-Oct. 2002	480
Rotating cutter head	
—Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002	300
S	
Sagüés, A. A. —Decreased corrosion initiation time of steel in concrete due to reinforcing bar obstruction of diffusional flow (99-M7) Jan.-Feb. 2002 ..	51
Saito, T. —Interface tailoring for strain-hardening polyvinyl alcohol-engineered cementitious composite (PVA-ECC) (99-M47) Sept.-Oct. 2002	463
Saric-Coric, M. —Influence of thixotropy on stability characteristics of cement grout and concrete (99-M23) May-June 2002	234
Savioia, M. —Nonlinear creep, poisson's ratio, and creep-damage interaction of concrete in compression (99-M45) Sept.-Oct. 2002	450
Sengul, Ö —Influence of aggregate type on mechanical behavior of normal- and high-strength concretes (99-M53) Nov.-Dec. 2002	528
Setting time	
—Prediction of setting time of fly ash concrete (99-M61) Brooks, J. J., Nov.-Dec. 2002	591
Shah, S. P.	
—Hydration, rheology, and strength of ordinary portland cement (OPC)-cement kiln dust (CKD)-slag binders (99-M16) Mar.-Apr. 2002	173
—Rheological model for self-consolidating concrete (99-M56) Nov.-Dec. 2002	549
—Ultrasonic technique for monitoring concrete strength gain at early age (99-M46) Sept.-Oct. 2002	458
—Permeability of cracked hybrid fiber-reinforced mortar under load (99-M37) July-Aug. 2002	379
Shaw, S. P. —Ultrasonic technique for monitoring concrete strength gain at early age (99-M46) Sept.-Oct. 2002	458
Slip	
—Interface tailoring for strain-hardening polyvinyl alcohol-engineered cementitious composite (PVA-ECC) (99-M47) Li, V. C.; Wu, C.; Wang, S.; Ogawa, A.; and Saito, T., Sept.-Oct. 2002	463
Slump	
—Effects of metakaolin and silica fume on properties of concrete (99-M39)	

Ding, J.-T., and Li, Z., July-Aug. 2002	393
Solution	
—Solution tests of corrosion-inhibiting admixtures for reinforced concrete (99-M36) Brown, M. C.; Weyers, R. E.; and Sprinkel, M. M., July-Aug. 2002	371
Solution tests of corrosion-inhibiting admixtures for reinforced concrete (99-M36) Brown, M. C.; Weyers, R. E.; and Sprinkel, M. M., July-Aug. 2002	371
Soroushian, P. —Laboratory evaluation and field application of concrete reinforcement with aramid fiber-reinforced polymer bars (99-M60) Nov.-Dec. 2002	584
Spalling	
—Effects of test conditions and mixture proportions on behavior of high-strength concrete exposed to high temperatures (99-M8) Phan, L. T., and Carino, N. J., Jan.-Feb. 2002	54
Spring-action breaker	
—Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002	300
Sprinkel, M. M. —Solution tests of corrosion-inhibiting admixtures for reinforced concrete (99-M36) July-Aug. 2002	371
Standardization, to a reference of 25 °C, of electrical resistivity for mortars and concretes in saturated or isolated conditions (99-M9) Castellote, M.; Andrade, C.; and Alonso, M. C., Mar.-Apr. 2002	119
Steel	
—Impact response of ultra-high-strength fiber-reinforced cement composite (99-M55) Bindiganavile, V.; Banthia, N.; and Aarup, B., Nov.-Dec. 2002	543
—Laboratory evaluation and field application of concrete reinforcement with aramid fiber-reinforced polymer bars (99-M60) Soroushian, P.; Ravanbakhsh, S.; and Nagi, M. A., Nov.-Dec. 2002	584
—Permeability of cracked hybrid fiber-reinforced mortar under load (99-M37) Lawler, J. S.; Zampini, D.; and Shah, S. P., July-Aug. 2002	379
—Stress-strain relationship for concrete confined by lateral steel reinforcement (99-M25) Cheong, H. K., and Zeng, H., May-June 2002	250
—Solution tests of corrosion-inhibiting admixtures for reinforced concrete (99-M36) Brown, M. C.; Weyers, R. E.; and Sprinkel, M. M., July-Aug. 2002	371
Stiffness	
—Lap splice length and fatigue performance of fiber-reinforced polymer laminates (99-M38) Yang, X., and Nanni, A., July-Aug. 2002	386
Strain	
—Behavior and modeling of concrete subject to variable confining pressure (99-M17) Harries, K. A., and Kharel, G., Mar.-Apr. 2002	180
—Development of deformable protective system for underground infrastructure using cellular grouts (99-M50) Nehdi, M.; Khan, A.; and Lo, K. Y., Sept.-Oct. 2002	490
—Effect of high temperature on residual mechanical properties of confined and unconfined high-strength concrete (99-M40) Wu, B.; Su, X.-p.; Li, H.; and Yuan, J., July-Aug. 2002	399
—Interface tailoring for strain-hardening polyvinyl alcohol-engineered cementitious composite (PVA-ECC) (99-M47) Li, V. C.; Wu, C.; Wang, S.; Ogawa, A.; and Saito, T., Sept.-Oct. 2002	463
Strength	
—Concrete hydration and mechanical properties under nonisothermal conditions (99-M54) Pane, I., and Hansen, W., Nov.-Dec. 2002	534
—Effects of metakaolin and silica fume on properties of concrete (99-M39) Ding, J.-T., and Li, Z., July-Aug. 2002	393
—Hydration, rheology, and strength of ordinary portland cement (OPC)-cement kiln dust (CKD)-slag binders (99-M16) Wang, K.; Konsta-Gdoutos, M. S.; and Shah, S. P., Mar.-Apr. 2002	173
—Lap splice length and fatigue performance of fiber-reinforced polymer laminates (99-M38) Yang, X., and Nanni, A., July-Aug. 2002	386
—Pore structures, permeabilities, and compressive strengths of concrete at temperatures up to 800 °C (99-M19) Janotka, I., and Bágel, L., Mar.-Apr. 2002	196
—Residual fracture toughness of normal- and high-strength gravel concrete after heating to 600 °C (99-M21) Zhang, B., and Bicanic, N., May-June 2002	217
—Ultrasonic technique for monitoring concrete strength gain at early age (99-M46) Subramaniam, K. V.; Mohsen, J. P.; Shaw, C. K.; and Shah, S. P., Sept.-Oct. 2002	458
Stress	
—Behavior and modeling of concrete subject to variable confining pressure (99-M17) Harries, K. A., and Kharel, G., Mar.-Apr. 2002	180
—Development of deformable protective system for underground infrastructure using cellular grouts (99-M50) Nehdi, M.; Khan, A.; and Lo, K. Y., Sept.-Oct. 2002	490
—Effect of high temperature on residual mechanical properties of confined and unconfined high-strength concrete (99-M40) Wu, B.; Su, X.-p.; Li, H.; and Yuan, J., July-Aug. 2002	399
Strain	
—Behavior and modeling of concrete subject to variable confining pressure (99-M17) Harries, K. A., and Kharel, G., Mar.-Apr. 2002	180
—Development of deformable protective system for underground infrastructure using cellular grouts (99-M50) Nehdi, M.; Khan, A.; and Lo, K. Y., Sept.-Oct. 2002	490
—Effect of high temperature on residual mechanical properties of confined and unconfined high-strength concrete (99-M40) Wu, B.; Su, X.-p.; Li, H.; and Yuan, J., July-Aug. 2002	399
Stress-strain relationship for concrete confined by lateral steel reinforcement (99-M25) Cheong, H. K., and Zeng, H., May-June 2002	250
Su, X.-p. —Effect of high temperature on residual mechanical properties of confined and unconfined high-strength concrete (99-M40) July-Aug. 2002	399
Subramaniam, K. V. —Ultrasonic technique for monitoring concrete strength gain at early age (99-M46) Sept.-Oct. 2002	458
Suryavanshi, A. K. —Estimation of diffusion coefficients for chloride ion penetration into structural concrete (99-M44) Sept.-Oct. 2002	441
Swamy, R. N. —Estimation of diffusion coefficients for chloride ion penetration into structural concrete (99-M44) Sept.-Oct. 2002	441
T	
Tamilselvan, T. —Mixed mode I-III fracture testing of cement mortar (99-M3) Sept.-Oct. 2002	435
Tasdemir, C. —Influence of aggregate type on mechanical behavior of normal- and high-strength concretes (99-M53) Nov.-Dec. 2002	528
Tasdemir, M. A. —Influence of aggregate type on mechanical behavior of normal- and high-strength concretes (99-M53) Nov.-Dec. 2002	528
Tawhed, W. F. —Damage assessment of concrete bridge decks using impact-echo method (99-M28) May-June 2002	273
Temperature	
—Effect of exposure to elevated temperature on polypropylene fiber-reinforced concrete (99-M3) Bayasi, Z., and Al Dhaheri, M., Jan.-Feb. 2002	22
—Effects of test conditions and mixture proportions on behavior of high-strength concrete exposed to high temperatures (99-M8) Phan, L. T., and Carino, N. J., Jan.-Feb. 2002	54
—Pore structures, permeabilities, and compressive strengths of concrete at temperatures up to 800 °C (99-M19) Janotka, I., and Bágel, L., Mar.-Apr. 2002	196
—Residual fracture toughness of normal- and high-strength gravel concrete after heating to 600 °C (99-M21) Zhang, B., and Bicanic, N., May-June 2002	217
—Standardization, to a reference of 25 °C, of electrical resistivity for mortars and concretes in saturated or isolated conditions (99-M9) Castellote, M.; Andrade, C.; and Alonso, M. C., Mar.-Apr. 2002	119
Temperature rise	
—Effect of high temperature on residual mechanical properties of confined and unconfined high-strength concrete (99-M40) Wu, B.; Su, X.-p.; Li, H.; and Yuan, J., July-Aug. 2002	399
Tensile strength	
—Lap splice length and fatigue performance of fiber-reinforced polymer laminates (99-M38) Yang, X., and Nanni, A., July-Aug. 2002	386
—Shock vibration test of concrete (99-M35) Kwan, A. K. H.; Zheng, W.; and Lee, P. K. K., July-Aug. 2002	361
Test	
—Effects of curing on chloride ingress and implications on service life (99-M20) Hooton, R. D.; Geiker, M. R.; and Bentz, E. C., Mar.-Apr. 2002	201
—New nondestructive inspection technique for reinforced concrete beams, A (99-M30) Jung, Y.-c.; Kundu, T.; and Ehsani, M. R., May-June 2002	292
—New technique based on stress waves for measuring cover thickness of closely spaced reinforcing bars (99-M59) Liou, T.; Lin, Y.; and Hsiao, C., Nov.-Dec. 2002	576
—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 2: forward modeling (99-M24) Zhang, J.; Monteiro, P. J. M.; and Morrison, H. F., May-June 2002	242
Thermal lance	
—Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002	300
Thixotropy	
—Influence of thixotropy on stability characteristics of cement grout and concrete (99-M23) Khayat, K. H.; Saric-Coric, M.; and Liotta, F., May-June 2002	234
Thomas, M. D. A. —Durability of ternary blend concrete with silica fume and blast-furnace slag: laboratory and outdoor exposure site studies (99-M51) Sept.-Oct. 2002	499
Three-dimensional aggregate density in concrete with wall effect (99-M58) Zheng, J. J., and Li, C. Q., Nov.-Dec. 2002	568
Toughness	
—Flexural behavior of fiber mesh-reinforced concrete with glass aggregate (99-M42) Mu, B., and Meyer, C., Sept.-Oct. 2002	425

U

- Ultrasonic technique for monitoring concrete strength gain at early age** (99-M46) Subramaniam, K. V.; Mohsen, J. P.; Shaw, C. K.; and Shah, S. P., Sept.-Oct. 2002 458

V

Vibration

- Shock vibration test of concrete (99-M35) Kwan, A. K. H.; Zheng, W.; and Lee, P. K. K., July-Aug. 2002 361

Viscosity

- Influence of thixotropy on stability characteristics of cement grout and concrete (99-M23) Khayat, K. H.; Saric-Coric, M.; and Liotta, F., May-June 2002 234
- Rheological model for self-consolidating concrete (99-M56) Bui, V. K.; Akkaya, Y.; and Shah, S. P., Nov.-Dec. 2002 549

Volume

- Effect of exposure to elevated temperature on polypropylene fiber-reinforced concrete (99-M3) Bayasi, Z., and Al Dhaheri, M., Jan.-Feb. 2002 22

W

- Wang, K.**—Hydration, rheology, and strength of ordinary portland cement (OPC)-cement kiln dust (CKD)-slag binders (99-M16) Mar.-Apr. 2002 173

Wang, S.

- Flexural behaviors of glass fiber-reinforced polymer (GFRP) reinforced engineered cementitious composite beams (99-M2) Jan.-Feb. 2002 11
- Interface tailoring for strain-hardening polyvinyl alcohol-engineered cementitious composite (PVA-ECC) (99-M47) Sept.-Oct. 2002 463

Water-jet blasting

- Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002 300

Wee, T. H.

- Early-age creep and shrinkage of blended cement concrete (99-M1) Jan.-Feb. 2002 3
- Mixed mode I-III fracture testing of cement mortar (99-M43) Lo, K. W.; Zhong, K.; Tamil Selvan, T.; Ong, K. C. G.; and Wee, T. H., Sept.-Oct. 2002 435

- Weyers, R. E.**—Solution tests of corrosion-inhibiting admixtures for reinforced concrete (99-M36) July-Aug. 2002 371

- Wong, S. F.**—Early-age creep and shrinkage of blended cement concrete (99-M1) Jan.-Feb. 2002 3

Workability

- Optimizing self-consolidating concrete with limestone filler by using statistical factorial design methods (99-M27) Ghezal, A., and Khayat, K. H., May-June 2002 264

Wrapping

- Carbon fiber-reinforced polymer wraps for corrosion control and rehabilitation of reinforced concrete columns (99-M10) Debaiky, A. S.; Green, M. F.; and Hope, B. B., Mar.-Apr. 2002 129

Wrecking ball

- Removal and reuse of hardened concrete (ACI 555R-01) (99-M31) ACI Committee 555, May-June 2002 300

- Wu, B.**—Effect of high temperature on residual mechanical properties of confined and unconfined high-strength concrete (99-M40) July-Aug. 2002 399

- Wu, C.**—Interface tailoring for strain-hardening polyvinyl alcohol-engineered cementitious composite (PVA-ECC) (99-M47) Sept.-Oct. 2002 463

Y

Yamaji, T.

- Chloride diffusion, microstructure, and mineralogy of concrete after 15 years of exposure in tidal environment (99-M26) May-June 2002 256

- Chloride-induced corrosion of steel bars in concrete with presence of gap at steel-concrete interface (99-M13) Mar.-Apr. 2002 149

- Microstructures and interfaces in concrete after 15 years of exposure in tidal environment (99-M34) July-Aug. 2002 352

- Yang, X.**—Lap splice length and fatigue performance of fiber-reinforced polymer laminates (99-M38) July-Aug. 2002 386

- Yuan, J.**—Effect of high temperature on residual mechanical properties of confined and unconfined high-strength concrete (99-M40) July-Aug. 2002 399

Z

- Zampini, D.**—Permeability of cracked hybrid fiber-reinforced mortar under load (99-M37) July-Aug. 2002 379

- Zeng, H.**—Stress-strain relationship for concrete confined by lateral steel reinforcement (99-M25) May-June 2002 250

- Zhang, B.**—Residual fracture toughness of normal- and high-strength gravel concrete after heating to 600 °C (99-M21) May-June 2002 217

- Zhang, J.**—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 2: forward modeling (99-M24) May-June 2002 242

- Zheng, J. J.**—Three-dimensional aggregate density in concrete with wall effect (99-M58) Nov.-Dec. 2002 568

- Zheng, W.**—Shock vibration test of concrete (99-M35) July-Aug. 2002 361

- Zhong, K.**—Mixed mode I-III fracture testing of cement mortar (99-M43) Sept.-Oct. 2002 435